

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	95	((order\$3 near3 point) ((serial\$7 sequenc\$3) near3 request\$3)) with (memory adj (line block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:55
L2	2	1 same ((transfer\$4 near3 data) with (cache "L1" "L2") with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:56
L3	2	1 same (((transfer\$4 near3 data) with (cache "L1" "L2") with memory)) write-back victim\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:46
L4	81	((order\$3 near3 point) ((serial\$7) near3 request\$3)) with (memory adj (line block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:55
L5	2	1 same (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:59
L6	1	4 same (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 20:59
L7	61	4 and (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:02
L8	17	7 and (memory with connect\$3 with (processor node) with (network interconnect))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:04

EAST Search History

L9	17	7 and (memory with (connect\$3 attach\$5) with (processor node) with (network interconnect))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:05
L10	17	7 and ((memory with (connect\$3 attach\$5) with (processor node) with (network interconnect)) (((multipl\$5 several plural\$3 many) near3 node) with (attach\$5 connect\$3) with memory with network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:07
L11	17	7 and ((memory with (connect\$3 attach\$5) with (processor node) with (network interconnect switch (switch adj fabric) (hierchical adj switch))) (((multipl\$5 several plural\$3 many) near3 node) with (attach\$5 connect\$3) with memory with network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:39
L12	14	11 and ((state near5 (modified owned dirty)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:42
L13	14	11 and ((state near5 (modified)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:42
L14	13	11 and ((state near5 (owned)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:42
L16	13	13 and ((state near5 (owned)) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:43
L17	13	16 and ((state near5 dirty) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:45

EAST Search History

L18	0	16 and ((state near5 exclusive) with cache).	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:44
L19	0	17 and ((state near5 exclusive) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:45
L20	0	17 and ((state near5 first) with cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/30 21:45